

PHYSICIAN GRADE

3071 NW 107 Ave miami
FL, USA 33172
305-322-0839
chrismcg@fountainint.com



SAMPLE:D808008-01

METRC/Biotrack#N/A **Harvest/Lot ID: PG-004-18-A**
Batch#: 8213141, Batch Size: N/A -grams Ordered:
8/13/2018 Sampled:8/13/2018
Completed: 8/17/2018 2:40:29 PM Expires: 08/30/19
Sampling Method: SOP SOP Client Method

Image



Safety


- Pesticides - Tested
- Microbials - Tested
- Mycotoxins - Tested
- Heavy Metals - Tested
- Terpenes - NT
- Residual-Solvents - Tested
- Filth - Tested
- Water Activity - NT
- Moisture - NT

Cannabinoids

Analyte	Weight(%)	mg/g
D9-THC	ND	ND
THCa	ND	ND
TOTAL THC	ND	ND
CBD	17.497	174.97
CBDa	0.044	0.44
TOTAL CBD	17.54	175.4
CBN	0.031	0.31
CBDV	0.087	0.87
D8-THC	ND	ND
THCV	ND	ND
CBG	0.576	5.76
CBGA	ND	ND
CBC	0.065	0.65
TOTAL CANNABINOIDS	18.3	183

Cannabinoids

0.00% Total THC	17.54% Total CBD
0.00mg% THC/Container	509.14mg CBD/Container



This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.

PHYSICIAN GRADE

3071 NW 107 Ave miami
FL, USA 33172
305-322-0839
chrismcg@fountainint.com



SAMPLE:D808008-01

METRC/Biotrack#N/A Harvest/Lot ID: PG-004-18-A
Batch#: 8213141, Batch Size: N/A -grams Ordered:
8/13/2018 Sampled:8/13/2018

Completed: 8/17/2018 2:40:29 PM Expires: 08/30/19
Sampling Method: SOP SOP Client Method

Pesticides	LOQ	Action Level	Result	Units	Type
Abamectin	0.01	0.5	ND	ppm	Insecticide
Acephate	0.01	0.4	ND	ppm	Insecticide
Acetamprid	0.01	0.2	ND	ppm	Insecticide
Aldicarb	0.01	0.4	ND	ppm	Insecticide, Nematicide
Azoxystrobin	0.01	0.2	ND	ppm	Fungicide
Bifenazate	0.01	0.2	ND	ppm	Insecticide
Bifenthrin	0.01	0.2	ND	ppm	Acaricide, Insecticide
Boscalid	0.01	0.4	ND	ppm	Fungicide
Carbaryl	0.01	0.2	ND	ppm	Insecticide
Carbofuran	0.01	0.2	ND	ppm	Insecticide, Nematicide
Chlorantraniliprole	0.01	0.2	ND	ppm	Insecticide
Chlorpyrifos	0.01	0.2	ND	ppm	Organophosphate Insecticide
Clofentezine	0.01	0.2	ND	ppm	Tetrazine Acaricide
Cyfluthrin	0.01	2	ND	ppm	Pyrethroid Insecticide
Cypermethrin	0.01	1	ND	ppm	Pyrethroid Insecticide, Veterinary substance
Daminozide	0.01	1	ND	ppm	Plant growth regulator
DDVP (Dichlorvos)	0.01	0.1	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Diazinon	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Repellent
Dimethoate	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Ethoprophos	0.01	0.2	ND	ppm	Insecticide, Nematicide
Etofenprox	0.01	0.4	ND	ppm	Pyrethroid Insecticide
Etoxazole	0.01	0.2	ND	ppm	Diphenyl oxazoline Acaricide
Fenoxycarb	0.01	0.2	ND	ppm	Carbamate Insecticide
Fenpyroximate	0.01	0.4	ND	ppm	Pyrazolium Acaricide, Insecticide
Fipronil	0.01	0.4	ND	ppm	Phenylpyrazole Insecticide
Fonicamid	0.01	1	ND	ppm	Pyridine Insecticide, Aphicide
Fludioxonil	0.01	0.4	ND	ppm	Phenylpyrrole Fungicide
Hexythiazox	0.01	1	ND	ppm	Carboxamide Acaricide

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.

PHYSICIAN GRADE

3071 NW 107 Ave miami
FL, USA 33172
305-322-0839
chrismcg@fountainint.com



SAMPLE:D808008-01

METRC/Biotrack#N/A Harvest/Lot ID: PG-004-18-A
Batch#: 8213141, Batch Size: N/A -grams Ordered:
8/13/2018 Sampled:8/13/2018
Completed: 8/17/2018 2:40:29 PM Expires: 08/30/19
Sampling Method: SOP SOP Client Method

Pesticides	LOQ	Action Level	Result	Units	Type
Imazailil	0.01	0.2	ND	ppm	Imidazole Fungicide
Imadacloprid	0.01	0.4	ND	ppm	Neonicotinoid Insecticide
Kresoxim-methyl	0.01	0.4	ND	ppm	Strobilurin Fungicide, Bactericide
Malathion	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide
Metalaxyl	0.01	0.2	ND	ppm	Phenylamide Fungicide
Methiocarb	0.01	0.2	ND	ppm	Carbamate Insecticide, Molluscicide, Bird repellent
Methornyl	0.01	1	ND	ppm	Carbamate Insecticide, Acaricide, Metabolite
Myclubtanil	0.01	0.2	ND	ppm	Triazole Fungicide
Naled	0.01	0.5	ND	ppm	Organophosphate Insecticide, Acaricide
Oxamyl	0.01	1	ND	ppm	Carbamate Insecticide, Acaricide, Nematicide
pacolbutazrol	0.01	0.4	ND	ppm	Triazole Plant growth regulator; Fungicide
permethrins	0.01	0.2	ND	ppm	Pyrethroid Insecticide
phosmet	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide
piperonyl butoxide	0.01	2	ND	ppm	Cyclic aromatic; Performance enhancer, Synergist
prallathein	0.01	0.2	ND	ppm	Synthetic pyrethroid Insecticide
Propiconazole	0.01	0.4	ND	ppm	Triazole Fungicide
Propoxur	0.01	0.2	ND	ppm	Carbamate Insecticide, Acaricide
Pyrethrins	0.01	1	ND	ppm	Insecticide
Pyridaben	0.01	0.2	ND	ppm	Pyridazinone Insecticide, Acaricide
Spinosad	0.01	0.2	ND	ppm	Insecticide
Spiromesifen	0.01	0.2	ND	ppm	Tetronic acid Insecticide
Spiritramat	0.01	0.2	ND	ppm	Tetramic acid Insecticide
Spiroxamine	0.01	0.4	ND	ppm	Morpholine Fungicide
Tebuconazole	0.01	0.4	ND	ppm	Triazole Fungicide
Thiacloprid	0.01	0.2	ND	ppm	Neonicotinoid Insecticide, Molluscicide
Thiamethoxam	0.01	0.2	ND	ppm	Neonicotinoid Insecticide
Trifloxystrobin	0.01	0.2	ND	ppm	Strobilurin Fungicide



PHYSICIAN GRADE

3071 NW 107 Ave miami
FL, USA 33172
305-322-0839
chrismcg@fountainint.com



SAMPLE:D808008-01

METRC/Biotrack#N/A Harvest/Lot ID: PG-004-18-A
Batch#: 8213141, Batch Size: N/A -grams Ordered:
8/13/2018 Sampled:8/13/2018
Completed: 8/17/2018 2:40:29 PM Expires: 08/30/19
Sampling Method: SOP SOP Client Method

Residual solvent

Residual solvent	Action Level(ppm)	Pass/Fail	Results(ppm)
Propane	5000	N/A	ND
iso-Butane	5000	N/A	ND
n-Butane	5000	N/A	ND
neo-pentane	5000	N/A	ND
Methanol	3000	Pass	44.8
Ethylene-oxide	50	N/A	ND
iso-Pentane	5000	N/A	ND
Ethanol	5000	Pass	58.2
n-Pentane	5000	N/A	ND
Ethyl Ether	5000	N/A	ND
Acetone	5000	Pass	69.9
2,2-Dimethylbutane	290	N/A	ND
2-Propanol	5000	Pass	26.1
Acetonitrile	410	Pass	8.67
Dichloromethane	600	N/A	ND
2-Methylpentane	290	N/A	ND
2,3-Dimethylbutane	290	N/A	ND
3-Methylpentane	290	N/A	ND
n-Hexane	290	Pass	10.4
Ethyl acetate	5000	N/A	ND
2-Butanol	5000	N/A	ND
Tetrahydrofuran	720	N/A	ND
Cyclohexane	3880	N/A	ND
Isopropyl Acetate	5000	N/A	ND
Benzene	2	Pass	0.02
Heptane	5000	Pass	4
1,4-Dioxane	380	N/A	ND
2-Ethoxyethanol	160	N/A	ND
Toluene	890	N/A	ND
Ethylbenzene	2170	N/A	ND
1,3-Dimethylbenzene	890	N/A	ND
1,4-Dimethylbenzene	2170	N/A	ND
1,2-Dimethylbenzene	2170	N/A	ND
Butanes	5000	N/A	ND
Hexanes	290	Pass	10.4
Pentanes	5000	N/A	ND
Xylenes	2170	N/A	ND

PHYSICIAN GRADE

3071 NW 107 Ave miami
FL, USA 33172
305-322-0839
chrismcg@fountainint.com



SAMPLE:D808008-01
METRC/Biotrack#N/A Harvest/Lot ID: PG-004-18-A
Batch#: 8213141, Batch Size: N/A -grams Ordered:
8/13/2018 Sampled:8/13/2018
Completed: 8/17/2018 2:40:29 PM Expires: 08/30/19
Sampling Method: SOP SOP Client Method

Cannabinoid Profile Test Result-Analysis Method :SOP.T.40.020, SOP.T.30.050

Analytical Batch:B8H0018

Reagent LOT ID # Dilution id factor#C filter id factor#C
Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

Filth and foreign Materials-Analysis Method :SOP.T.40.013

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-2B/T Stereo Microscope is use for inspection.

Mycotoxin Analysis-Analysis MethodSOP.T.30.060, SOP.T.40.060

Analytical Batch:B8H0015

Analyte#	Results#C	Action Level#C
Aflatoxin G2	ND	0.02
Ochratoxin A	ND	0.02
Aflatoxin B2	ND	0.02
Aflatoxin B1	ND	0.02
Aflatoxin G1	ND	0.02

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC-MS. (Method: SOP.T.30.060 for Sample Preparation and SOP.T40.060 Procedure for Mycotoxins Quantification Using LCMS. LOQ 1.0 ppb). Total Aflatoxins (Aflatoxin B1, B2, G1, G2) must be <20µg/Kg. Ochratoxins must be <20µg/Kg.

Micro Analysis-Analysis method :SOP.T.40.043

Analytical Batch: B8H0014

Pathogens#	Results#C
Aspergillus fumigatus	Absent in 1 gram
Aspergillus niger	Absent in 1 gram
Aspergillus terreus	Absent in 1 gram
Escherichia coli	Absent in 1 gram
Salmonella	Absent in 1 gram
Aspergillus flavus	Absent in 1 gram

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

PHYSICIAN GRADE

3071 NW 107 Ave miami
FL, USA 33172
305-322-0839
chrismcg@fountainint.com



SAMPLE:D808008-01
METRC/Biotrack#N/A Harvest/Lot ID: PG-004-18-A
Batch#: 8213141, Batch Size: N/A -grams Ordered:
8/13/2018 Sampled:8/13/2018
Completed: 8/17/2018 2:40:29 PM Expires: 08/30/19
Sampling Method: SOP SOP Client Method

Pesticide Analysis-Analysis Method:SOP.T.30.060, SOP.T.40.060

solvent/reagent lot/ID #

Dilution factor #X

Pesticide screen is performed using LC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 60 Pesticides. (Method: SOP.T.30.060 Sample Preparation for Pesticides Analysis via LCMSMS and SOP.T40.060 Procedure for Pesticide Quantification Using LCMS).

Analytical Batch :B8H0015

filter lot /ID #X

Heavy Metals Analysis-Analysis-Method:SOP.T.40.050, SOP.T.30.052

solvent/reagent lot/ID #

Dilution factor #X

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS.

Analytical Batch: B8H0016

filter lot /ID #X

Metal

Result

Action-Level

Lead	0.04	0.5
Arsenic	0.015	1.5
Mercury	0.381	3
Cadmium	0.006	0.5

Abbreviation:ppm=Parts Per Million

Residual SolventsAnalysis Method:SOP.T.40.032

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. Currently we analyze for 33 Residual solvents. (Method: SOP.T.30.042 Residual Solvents Analysis via GC-MS).

Analytical Batch :B8H0019



4131 SW 47th AVENUE SUITE
1408
DAVIE, FL 33314
1-954-368-7664
info@eviolabsfl.com

Jorge Segredo
Lab Director

State License # n/a
ISO Accreditation #
97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.